

RPAR1C1

No.	DC1	Ht1	DC2	Ht2	DC3	Ht3	DC4	Ht4
1	2.10	0.80	2.20	0.82	2.40	0.82	2.50	0.85
2	1.10	0.49	1.30	0.50	1.30	0.54	1.40	0.58
3	2.20	0.45	2.20	0.46	2.30	0.49	2.40	0.55
4	1.20	0.75	1.30	0.78	1.30	0.80	1.40	0.85
5	1.41	0.30	1.46	0.34	1.50	0.37	1.60	0.40
6	1.30	0.80	1.40	0.82	1.40	0.84	1.50	0.90
7	0.20	0.25	0.30	0.27	0.30	0.28	0.30	0.30
8	1.10	0.63	1.10	0.67	1.10	0.70	1.10	0.70
9	1.30	0.85	1.40	0.88	1.40	0.91	1.40	0.94
10	1.10	1.06	1.10	1.08	1.20	1.12	1.20	1.18
11	1.40	0.86	1.40	0.87	1.40	0.90	1.50	0.96
12	1.60	0.72	1.60	0.72	1.80	0.76	1.80	0.80
13	1.00	1.03	1.00	1.07	1.10	1.11	1.30	1.16
14	0.90	0.44	0.90	0.46	0.90	0.50	1.00	0.50
15T	1.20	1.32	1.20	1.37	1.40	1.41T	1.40	1.43
16	1.10	0.80	1.10	0.81	1.20	0.82	1.20	0.86
17T	1.50	1.32	1.60	1.39	1.70	1.47T	1.70	1.53
18	1.00	1.10	1.00	1.11	1.10	1.14	1.20	1.20
19	0.40	0.40	0.40	0.41	0.40	0.44	0.40	0.47
20T	1.40	1.34	1.40	1.43	1.50	1.50T	1.50	1.57
21	1.20	1.00	1.20	1.05	1.30	1.07	1.30	1.12
22	0.80	0.82	1.00	0.84	1.00	0.86	1.00	0.90
23	1.10	0.65	1.10	0.68	1.20	0.68	1.20	0.72
24	1.00	0.72	1.00	0.70	muerto	muerto	muerto	muerto
25	1.10	1.18	1.20	1.21	1.20	1.23	1.20	1.30
26	1.00	0.95	1.00	0.98	1.00	1.00	1.20	1.05
27	1.00	0.80	1.10	0.80	1.10	0.82	1.20	0.88
28	1.50	1.12	1.50	1.11	1.50	1.13	1.70	1.18
29	1.00	0.95	1.00	0.95	1.10	0.97	1.10	1.00
30	1.00	1.16	1.00	1.18	1.00	1.22	1.20	1.30
31	1.00	0.70	1.10	0.72	1.10	0.74	1.10	0.78
32	0.40	0.27	0.50	0.30	0.60	0.33	0.80	0.35
33	1.20	0.92	1.20	0.95	1.30	0.96	1.50	1.00
34	0.70	0.32	0.70	0.35	0.70	0.35	0.80	0.38
35	0.70	0.98	0.80	1.02	0.90	1.05	0.90	1.12
36	1.50	1.00	1.60	1.00	1.60	1.03	1.80	1.10
37T	1.20	1.32	1.30	1.34	1.30	1.40T	1.30	1.44
38	1.00	1.20	1.10	1.24	1.10	1.26	1.10	1.30
39T	1.80	1.31	1.80	1.36	1.80	1.38T	2.00	1.40
40	0.30	0.42	0.40	0.45	0.40	0.48	0.50	0.48
41	0.70	0.60	0.80	0.62	0.80	0.64	0.80	0.70
42	1.20	1.26	1.30	1.30	1.40	1.32	1.50	1.40
43	1.10	1.25	1.10	1.27	1.10	1.29	1.20	1.32

RPAR1C1

44	0.70	0.41	0.80	0.42	0.80	0.45	0.80	0.48
45	1.20	0.96	1.20	1.00	1.30	1.00	1.30	1.05
46	0.50	0.54	0.60	0.56	0.60	0.57	0.60	0.60
47T	2.10	1.34	2.10	1.41	2.10	1.45T	2.20	1.48
48T	1.50	1.32	1.70	1.38	1.80	1.43T	1.90	1.47
49	0.30	0.50	0.30	0.51	0.30	0.54	0.30	0.60
50	1.10	1.05	1.10	1.08	1.10	1.11	1.30	1.20
51T	1.20	1.34	1.30	1.39	1.50	1.42T	1.50	1.46
52	0.90	0.86	0.90	0.87	1.00	0.90	1.00	0.90
53	0.70	0.55	0.70	0.57	0.80	0.60	0.80	0.62
54	0.90	1.11	1.00	1.14	1.00	1.19	1.10	1.25
55	1.00	0.97	1.10	1.00	1.20	1.00	1.20	1.05
56	1.10	0.76	1.20	0.80	1.20	0.82	1.20	0.85
57	0.60	0.76	0.60	0.80	0.60	0.80	0.80	0.80
58	1.20	0.52	1.10	0.54	muerto	muerto	muerto	muerto
59	0.70	0.39	0.70	0.40	0.70	0.43	0.80	0.45
60	1.10	0.66	1.10	0.70	1.20	0.70	1.20	0.70
61	1.20	0.82	1.20	0.86	1.30	0.91	1.30	0.95
62	0.60	0.37	0.80	0.40	0.80	0.42	0.80	0.45
63	1.70	1.17	1.80	1.20	1.80	1.23	2.00	1.30
64	1.50	0.95	1.60	1.00	1.70	1.02	2.00	1.05
65	1.10	0.62	1.20	0.65	1.20	0.68	1.20	0.70
66	0.70	0.48	0.70	0.50	0.80	0.52	0.80	0.55
67	1.20	0.93	1.20	0.95	1.40	0.98	1.40	1.00
68	1.10	0.83	1.10	0.83	1.10	0.86	1.30	0.90
69	2.00	1.15	2.00	1.18	2.20	1.21	2.20	1.25
70	1.10	0.61	1.20	0.62	1.20	0.64	1.20	0.65
71T	1.40	1.31	1.60	1.34	1.60	1.38T	1.60	1.40
72	1.20	0.83	1.20	0.85	1.20	0.88	1.30	0.90
73	1.40	0.82	1.40	0.84	1.40	0.86	1.50	0.93
74T	1.20	1.30	1.30	1.32	1.40	1.35T	1.40	1.38
75T	1.20	1.30	1.40	1.32	1.50	1.36T	1.50	1.41
76	1.70	1.28	1.70	1.30	1.80	1.33	2.00	1.40
77	1.70	1.24	1.80	1.25	1.80	1.27	1.80	1.32
78	0.70	0.64	0.70	0.65	0.80	0.66	0.80	0.70
79	1.10	0.67	1.10	0.70	1.20	0.71	1.20	0.75
80	2.20	1.30	2.20	1.30	2.20	1.32	2.40	1.40
81	0.70	0.55	0.70	0.58	0.80	0.60	0.80	0.62
82	1.10	0.81	1.10	0.83	1.10	0.86	1.20	0.90
83	1.20	0.74	1.20	0.76	1.30	0.80	1.50	0.81
84	2.20	0.97	2.20	1.00	2.20	1.04	2.40	1.10

RPAR1C1

[illegible]

RPAR1C2

No.	DC1	Ht1	DC2	Ht2	DC3	Ht3	DC4	Ht4
1	1.32	0.60	1.35	0.61	1.37	0.63	1.40	0.66
2T	1.50	1.33	1.70	1.40	2.00	1.45T	2.10	1.48
3	1.70	1.25	1.66	1.22	1.70	1.25	1.70	1.27
4T	1.60	1.30	1.60	1.31	1.70	1.35T	1.80	1.40
5	1.30	1.11	1.30	1.16	1.40	1.20	1.50	1.23
6	1.40	0.81	1.40	0.85	muerto	muerto	muerto	muerto
7T	1.20	1.45	1.20	1.48	1.30	1.5T	1.30	1.60
8	0.93	0.58	0.97	0.61	1.00	0.65	1.02	0.69
9T	1.70	1.28	1.80	1.31	2.00	1.35T	2.00	1.38
10	0.97	1.11	1.00	1.14	1.00	1.20	1.05	1.23
11	1.10	0.66	1.10	0.71	1.20	0.75	1.30	0.79
12	1.50	0.95	1.50	1.00	1.60	1.00	1.60	1.06
13	1.20	1.11	1.30	1.50	1.40	1.20	1.50	1.25
14	0.80	0.58	0.80	0.58	muerto	muerto	muerto	muerto
15	1.30	1.04	1.30	1.07	1.40	1.12	1.40	1.14
16	0.50	0.34	0.50	0.36	0.60	0.40	0.60	1.42
17	0.60	0.50	0.60	0.52	0.70	0.55	0.70	0.55
18	0.90	0.82	1.00	0.87	1.00	0.92	1.03	0.95
19	0.60	0.47	0.60	0.51	0.70	0.55	0.70	0.57
20	0.80	0.54	0.90	0.60	0.90	0.65	0.90	0.68
21T	1.30	1.31	1.40	1.37	1.40	1.40T	1.44	1.45
22	1.20	0.81	1.20	0.86	1.30	0.90	1.40	0.94
23	0.80	0.62	0.80	0.66	0.90	0.70	1.00	0.75
24	2.00	1.00	2.00	1.04	2.00	1.10	2.02	1.13
25	0.90	1.00	0.90	1.05	1.00	1.10	1.03	1.14
26	1.00	1.01	1.10	1.06	1.20	1.10	1.20	1.10
27	0.90	0.76	1.00	0.81	1.00	0.85	1.00	0.88
28	0.70	0.39	0.80	0.41	0.80	0.45	0.80	0.47
29	0.90	0.55	0.90	0.56	1.00	0.60	1.03	0.66
30	1.20	0.90	1.30	1.00	1.40	1.03	1.50	1.08
31	0.50	0.40	0.60	0.40	0.70	0.40	0.70	0.42
32	0.70	0.40	0.70	0.40	0.80	0.42	0.90	0.46
33	1.30	1.25	1.40	1.27	1.50	1.30	1.51	1.32
34	0.40	0.55	0.40	0.60	0.50	0.60	0.60	0.64
35	0.90	0.92	0.90	0.96	0.90	1.00	1.00	1.07
36	0.60	0.50	0.70	0.55	0.70	0.60	0.80	0.60
37	1.10	0.68	1.10	0.71	1.20	0.75	1.30	0.75
38	1.30	1.00	1.40	1.04	muerto	muerto	muerto	muerto
39	1.30	0.81	1.30	0.85	1.50	0.90	1.50	0.96
40	1.20	0.52	1.30	0.55	1.30	0.60	1.30	0.63
41	1.40	0.90	1.50	0.94	1.60	0.98	1.65	1.04
42	0.40	0.62	0.50	0.66	0.60	0.72	0.60	0.76

RPAR1C2

43	0.60	0.60	0.60	0.60	0.70	0.60	0.80	0.64
44	0.80	0.63	0.80	0.65	0.80	0.70	0.80	0.74
45	0.50	0.51	0.50	0.55	0.50	0.55	0.60	0.58
46	1.30	1.08	1.30	1.11	1.30	1.15	1.40	1.18
47	0.90	0.76	1.00	0.81	1.00	0.85	1.05	0.88
48	0.50	0.55	0.60	0.58	0.60	0.60	0.62	0.63
49	1.20	1.11	1.20	1.15	1.30	1.20	1.40	1.24
50	0.70	0.87	0.80	0.92	0.80	0.95	0.90	0.97
51	1.10	0.45	1.10	0.50	1.20	0.52	1.20	0.55
52	1.40	1.11	1.50	1.15	muerto	muerto	muerto	muerto
53	0.70	0.86	0.80	0.91	0.80	0.95	0.80	0.98
54	0.90	0.80	0.90	0.80	0.90	0.80	0.90	0.84
55	0.40	0.40	0.40	0.40	0.50	0.45	0.50	0.46
56	1.40	1.00	1.40	1.00	1.50	1.05	1.60	1.07
57	0.40	0.40	0.40	0.40	0.50	0.40	0.50	0.42
58	0.50	0.51	0.50	0.55	0.60	0.55	0.60	0.57
59	1.10	1.05	1.10	1.10	muerto	muerto	muerto	muerto
60	0.70	0.40	0.70	0.40	0.80	0.42	0.90	0.45
61	0.40	0.42	0.50	0.45	0.50	0.48	0.50	0.50
62	0.50	0.25	0.50	0.30	0.60	0.30	0.70	0.34
63	0.70	0.46	0.70	0.50	0.80	0.50	0.90	0.53
64	0.60	0.41	0.60	0.43	0.60	0.50	0.70	0.54
65	0.60	0.65	0.60	0.71	0.70	0.75	0.70	0.78
66	0.80	0.70	0.80	0.76	0.90	0.80	0.90	0.84
67	0.80	0.52	0.80	0.54	0.90	0.60	1.00	0.64
68	0.50	0.57	0.60	0.61	0.60	0.65	0.70	0.68
69	0.50	0.67	0.60	0.71	0.60	0.75	0.70	0.79
70	0.90	0.60	0.90	0.62	1.00	0.65	1.10	0.70
71	0.60	0.36	0.60	0.40	0.70	0.42	0.80	0.45
72	1.00	0.66	1.10	0.71	1.20	0.75	1.20	0.77
73	0.40	0.47	0.40	0.52	0.50	0.55	0.60	0.57

RPAR1C3

No.	DC1	Ht1	DC2	Ht2	DC3	Ht3	DC4	Ht4
1	1.90	0.96	1.90	1.00	2.00	1.00	2.10	1.03
2	1.70	0.81	1.70	0.83	1.80	0.85	1.80	0.89
3	0.90	0.54	0.90	0.57	1.00	0.60	1.00	0.65
4T	1.80	1.31	1.80	1.32	2.00	1.35T	2.00	1.38
5T	4.00	1.31	4.00	1.34	4.20	1.40T	4.20	1.42
6	1.60	1.24	1.80	1.27	1.80	1.30	1.80	1.32
7	0.80	0.63	0.80	0.65	muerto	muerto	muerto	muerto
8	0.70	0.60	0.70	0.62	0.80	0.65	0.80	0.68
9	1.00	0.68	1.10	0.71	1.10	0.75	1.20	0.78
10	0.70	0.67	0.80	0.71	0.80	0.75	0.80	0.78
11	0.70	0.76	0.70	0.79	0.80	0.80	0.90	0.83
12T	1.90	1.31	2.10	1.33	2.20	1.40T	2.20	1.41
13	1.10	0.71	1.10	0.76	1.20	0.80	1.20	0.83
13	1.80	1.02	1.80	1.07	1.90	1.10	2.00	1.13
15	2.10	0.85	2.20	0.87	2.20	0.90	2.30	0.94
16	0.60	0.35	0.60	0.37	0.60	0.40	0.70	0.42